

WELDING PEN R



WELDING PEN S



The rotating air hose on the WELDING PEN facilitates work.



Wire welding using the compact and light WELDING PEN R.

Hot air tool

WELDING PEN R / WELDING PEN S

The WELDING PEN is an optimized hand tool for draw welds. Due to its slim design and the external air supply by a swiveling air hose work becomes nearly fatigue-free. The closed-loop controlled WELDING PEN R provides the perfect welding temperature. High quality work may also be carried out using the WELDING PEN S which is easily controlled by means of the rotary knob.

- Used in combination with ROBUST blower or compressed air
- Digital temperature display (WELDING PEN R)
- Swiveling air hose connection
- Cooled heating element tube

Technical Data












Voltage	V~	120
Power	W	600
Temperature	°F	68 – 1112
Size (L x Ø)	inch	10.6 x 1.7, handle Ø 1.3
Weight	lbs	2.2 (with 10 ft cord / air hose and Y-connection)
Conformity Marking	CE	
Approval Mark	S	
Certification Scheme	CCA	
Protection Class II	□	

Article No.:

- 113.708 WELDING PEN S, 120 V / 600 W, screw-on, with US plug
- 114.576 WELDING PEN R, 120 V / 600 W, screw-on, with US plug

Other versions available upon request.

Accessories WELDING PEN R / WELDING PEN S

	<b>105.622</b>	Tubular nozzle Ø 0.2 inch, screw-on
	<b>106.988</b>	Tacking nozzle, screw-on
	<b>113.666</b> <b>113.399</b>	Drawing nozzle round, Ø 0.12 inch Drawing nozzle round, Ø 0.16 inch, with tacking tip, screw-on
	<b>113.876</b> <b>113.874</b>	Drawing nozzle round, Ø 0.12 inch Drawing nozzle round, Ø 0.16 inch, without tacking tip, screw-on
	<b>113.670</b>	Triangular drawing nozzle, with tacking tip, screw-on, 0.22 inch
	<b>113.877</b>	Triangular drawing nozzle, without tacking tip, screw-on 0.22 inch, profile A
	<b>106.986</b>	0.28 inch, profile B
	<b>106.987</b>	0.28 x 0.22 inch
	<b>126.552</b>	Drawing nozzle Ø 0.16 inch, screw-on, for fluoroplastics
	<b>127.726</b> <b>127.727</b>	Angular adapter for screw-on nozzles, screw-on 30° angled 45° angled
	<b>113.597</b>	Heating element, 120 V / 600 W